

Gaco 183M LEED Certification

| LEED Credit Category | LEED Requirement | LEED Point Contribution |
|---|--|--|
| Energy & Atmosphere | | |
| Prerequisite 2 - Minimum Energy Performance | Requires the building to comply with ASHRAE/IESNA Standard 90.1-2004 or the the local energy code whichever is more stringent. | Gaco 183M reduces your energy costs throughout the life of your building. It provides energy savings of up to 40%. |
| Credit 1 - Optimize Energy Performance | Requires a reduction in design energy cost compared to energy cost budget. | Gaco 183M reduces your energy costs throughout the life of your building. It provides energy savings of up to 40%. |
| Materials & Resources | | |
| Credit 2 - Construction Waste Management | Requires recycling and/or salvaging construction and land clearing waste. | Since Gaco 183M is installed by qualified applicators who can apply exactly what is need in each area, there is minimal waste. Gaco 183M is classified nonhazardous. |
| Credit 4.1 - 4.2 - Recycled Content | Use materials with recycled content such that the sum of post-consumer content constitutes at least 10% of the total value of the materials in the project. | Gaco 183M contains 6.6% pre-consumer material and 2% post-consumer material. |
| Credit 5.1 - 5.2 - Local Regional Materials | Requires use of building materials and products that are manufactured regionally within a radius of 500 miles of the project site. | Gaco 183M and other GacoWallFoam products are considered to be manufactured at the project site. |
| Indoor Environmental Quality | | |
| Credit 4.1 - Low Emitting Materials | Reduce the concentration of indoor air contaminants that are odorous, irritating and/or harmful to the comfort and well being of installers and occupants. | The VOC of Gaco 183M is 34.3 g/l and the product is GREENGUARD and GREENGUARD GOLD Certified. |
| Credit 7 - Thermal Comfort | Requires a thermally comfortable environment that supports the productivity and well being of building occupants. | Gaco 183M can help a building comply with ASHRAE Standard 55-2004 including humidity control within established ranges because it eliminates random outside air infiltration and produces a tighter building envelope. |
| Innovation & Design Process | | |
| Credit 1 - Innovation in Design | Provides design team and projects with an opportunity to be awarded points for exceptional performance above the requirements set by LEED Green Building Rating System and/or innovative performance in Green Building categories not specifically addressed by the LEED Green Building Rating System. | Gaco 183M's superior performance characteristics and installation flexibility contribute to this credit. Gaco 183M allows easy installation in areas that do not allow simple installation of conventional insulation. Gaco 183M is guaranteed to perform to the stated specification for the life of the structure. |