

**SECTION 1: IDENTIFICATION**

**1.1 PRODUCT IDENTIFIER**

**Product Name:** GacoFlex Silicone Solvent  
**Product Code:** T5135, T5135-1, T5135-5, T5135-55, T5135-CAN-1

**1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE**

**Product Use:** Architectural Coating and Waterproofing  
 Use this product in accordance with all local, regional, national and international regulations.

**1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET**

**Name/Address:** Gaco Western LLC  
 1245 Chapman Dr.  
 Waukesha, WI, 53186-5942  
 USA  
**Telephone Number:** 800-331-0196 / **International:** 001-800-331-0196  
**Email:** [sds@gaco.com](mailto:sds@gaco.com)  
**Website:** [www.gaco.com](http://www.gaco.com)

**1.4 EMERGENCY TELEPHONE NUMBER**

For Chemical Emergency  
 Spill, Leak, Fire, Exposure, or Incident  
 Within USA and Canada: 1-800-424-9300  
 Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

**SECTION 2: HAZARD(S) IDENTIFICATION**

**2.1 CLASSIFICATION OF THE CHEMICAL**

**Hazard class:**

HAZARD CLASSIFICATION	CATEGORY
Aspiration Hazard	1
Flammable Liquids	3

**2.2 LABEL ELEMENTS**

**Hazard pictogram:** GHS02, GHS08



**SAFETY DATA SHEET**

**Signal word:** Danger

**Hazard statement:** Flammable liquid and vapor  
May be fatal if swallowed and enters airways

**Prevention:** Keep away from heat, hot surfaces/sparks/open flames/hot surfaces. -No smoking.  
Keep container tightly closed.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting/equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Wear protective gloves/eye protection/face protection.

**Response:** If swallowed: Immediately call a poison center/doctor.  
If on skin (or hair): Remove/Take off immediately all contaminated clothing.  
Rinse skin with water/shower.  
Do NOT induce vomiting.  
In case of fire: Use water fog, foam, dry chemical powder, carbon dioxide (CO2) to extinguish.

**Storage:** Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal:** Dispose of contents and container in accordance with all local, regional, national and international regulations.

**2.3 ADDITIONAL INFORMATION**

**Main symptoms:** Aspiration may cause pulmonary edema and pneumonitis. May cause headache, nausea, vomiting and an altered state of consciousness. Direct contact with eyes may cause temporary irritation.

**Hazards not otherwise specified:** None Known

0 % of the mixture consists of ingredient(s) of unknown acute toxicity

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 MIXTURES**

Material	CAS No.	Weight %*
Distillates (petroleum), hydrotreated light	64742-47-8	60-100%

\*The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

**SECTION 4: FIRST-AID MEASURES**

**4.1 DESCRIPTION OF THE FIRST AID MEASURES**

**General information:** Take off all contaminated clothing immediately. Wash contaminated clothing before reuse. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

**Inhalation:** Inhalation is unlikely because of the low vapor pressure of the substance at ambient temperature. Exposure to vapors may however occur when the substance is handled at high temperatures with poor ventilation. If a person breathes in large amounts of this chemical, move the exposed person to fresh air at once. Keep the affected person at rest. Get medical attention.

**SAFETY DATA SHEET**

<b>Skin contact:</b>	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
<b>Eye contact:</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.
<b>Ingestion:</b>	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

**4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED**

Aspiration may cause pulmonary edema and pneumonitis.  
May cause headache, nausea, vomiting and an altered state of consciousness.  
Direct contact with eyes may cause temporary irritation

**4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED**

<b>Note to physicians:</b>	Treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.
<b>Specific treatments:</b>	In case of accident or if you feel unwell, seek medical advice (show the label or SDS where possible).

**SECTION 5: FIRE-FIGHTING MEASURES****5.1 EXTINGUISHING MEDIA**

<b>General hazards:</b>	Flammable liquid and vapor.
<b>Suitable extinguishing media:</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> )
<b>Unsuitable extinguishing media:</b>	Do not use water jet as an extinguisher as this will spread the fire.

**5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE**

<b>Specific hazards:</b>	This substance will float and can be reignited on surface water. Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. If sulphur compounds are present in appreciable amounts, combustion products may include also H <sub>2</sub> S and SO <sub>x</sub> (sulfur oxides) or sulfuric acid.
<b>Products of combustion:</b>	Incomplete combustion is likely to give rise to a complex mixture of airborne solid and liquid particulates and gases, including carbon monoxide and unidentified organic and inorganic compounds.

**5.3 Special protective equipment and precautions for fire-fighters (PPE)**

<b>Special protective equipment for fire-fighters:</b>	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do it without risk.
<b>Special fire-fighting procedures:</b>	Keep upwind of fire. Move containers from fire area if you can do it without risk.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

**6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP**

- Methods for containment:** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Use appropriate Personal Protective Equipment (PPE).
- Methods for cleaning-up:** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. For waste disposal, see Section 13 of the SDS.
- Large spills:** Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
- Small spills:** Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.  
Never return spills to original containers for re-use.
- Environmental precautions:** Avoid discharge into drains, water courses or onto the ground.

**SECTION 7: HANDLING AND STORAGE**

**7.1 PRECAUTIONS FOR SAFE HANDLING**

- Precautions for Safe handling:** The vapor is heavier than air. Beware of accumulation in pits and confined spaces. Vapors may form explosive mixtures with air. Do not handle or store near an open flame, heat or other sources of ignition. Do not smoke. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
- General hygiene advice:** Ensure that medical personnel are aware of the materials(s) involved, and take precautions to protect themselves.

**7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

- Storage:** Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Keep container tightly closed. Store in a cool and well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).
- Specific use:** Architectural Coating and Waterproofing
- Technical measures:** Vapors may form explosive mixtures with air. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment.

**SAFETY DATA SHEET**

<b>Incompatible materials:</b>	Some synthetic materials may be unsuitable for containers or container linings depending on the material specification and intended use. Compatibility should be checked with the manufacturer.
<b>Safe storage:</b>	Light hydrocarbon vapors can build up in the headspace of containers. These can cause flammability / explosion hazard. Open slowly in order to control possible pressure release. For containers, or container linings use mild steel, stainless steel. Store away from incompatible materials.
<b>Safe packaging material:</b>	Keep in original container.
<b>Precautions:</b>	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges.
<b>Safe handling advice:</b>	Light hydrocarbon vapors can build up in the headspace of containers. These can cause flammability / explosion hazard. Open slowly in order to control possible pressure release. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges. Use personal protection recommended in Section 8 of the SDS.
<b>Suitable storage conditions:</b>	Light hydrocarbon vapors can build up in the headspace of containers. These can cause flammability / explosion hazard. Open slowly in order to control possible pressure release. Keep away from heat, sparks and open flame. Keep container tightly closed. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep in an area equipped with sprinklers.
<b>Handling-technical measures:</b>	Use non-sparking tools and explosion-proof equipment. All equipment used when handling this product must be grounded.
<b>Local and general ventilation:</b>	Provide adequate ventilation.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 CONTROL PARAMETERS**

**Control parameters:** Follow standard monitoring procedures.

**Exposure limits:**

**Distillates (petroleum), hydrotreated light**  
ACGIH: TWA 200 mg/m<sup>3</sup>

**8.2 EXPOSURE CONTROLS**

**Engineering measures to reduce exposure:**

Explosion-proof general and local exhaust ventilation.

**8.3 INDIVIDUAL PROTECTIVE MEASURES**

<b>General:</b>	Eye wash fountain and emergency showers are recommended. Use personal protective equipment as required.
<b>Eye protection:</b>	Wear safety glasses with side shields (or goggles).
<b>Hand protection:</b>	Wear protective gloves.
<b>Respiratory protection:</b>	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
<b>Skin and body protection:</b>	Wear suitable protective clothing.
<b>Hygiene measures:</b>	When using do not smoke. Always observe good personal hygiene measures,

**SAFETY DATA SHEET**

such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**Control parameters:** Follow standard monitoring procedures.  
**Thermal hazards:** Wear appropriate thermal protective clothing, when necessary.

**Environmental exposure controls:** Environmental manager must be informed of all major releases.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Pale straw to clear liquid
<b>Color:</b>	Pale straw to clear
<b>Form:</b>	Liquid
<b>Odor:</b>	hydrocarbon
<b>Odor Threshold:</b>	Not applicable
<b>Physical State:</b>	Liquid
<b>pH (at 20°C):</b>	Not applicable
<b>Melting Point/Freezing Point:</b>	Not applicable
<b>Initial Boiling Point and Boiling Range:</b>	Not applicable
<b>Flash Point:</b>	103°F (39.4°C)
<b>Evaporation Rate:</b>	Not applicable
<b>Flammability (solid, gaseous):</b>	Flammable
<b>Lower Flammability/Explosive Limit:</b>	Not applicable
<b>Upper Flammability/Explosive Limit:</b>	Not applicable
<b>Evaporation rate:</b>	Not applicable
<b>Vapor Pressure (mm Hg @38°C):</b>	Not applicable
<b>Vapor Density:</b>	Not applicable
<b>Density (lb/gal):</b>	6.3
<b>Relative Density/Specific Gravity:</b>	0.758
<b>Solubility in water/miscibility:</b>	Insoluble
<b>Partition coefficient: n-octanol/water:</b>	Not applicable
<b>Auto-ignition Temperature:</b>	>300°F (149°C)
<b>Decomposition Temperature:</b>	Not applicable
<b>Viscosity (at 20°C) g/L:</b>	0.9 mm <sup>2</sup> /s D445
<b>Oxidizing Properties:</b>	Not applicable
<b>Explosive Properties:</b>	Not applicable
<b>VOC %:</b>	766 g/L (6.39 lb/gal)
<b>Solvent content - Organic:</b>	Not applicable
<b>Solvent content - Water:</b>	Not applicable
<b>Solvent content - Solids:</b>	Not applicable
<b>Other information:</b>	Not applicable
<b>Incompatibilities:</b>	Not applicable

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 REACTIVITY** The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2 CHEMICAL STABILITY**  
**Chemical stability:** Material is stable under normal conditions.

**SAFETY DATA SHEET**

**Materials to avoid:** The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.3 POSSIBILITY OF HAZARDOUS REACTIONS**

**Hazardous reactions:** No dangerous reaction known under conditions of normal use.

**10.4 CONDITIONS TO AVOID** Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials.

**10.5 INCOMPATIBLE MATERIALS** Strong oxidizing agents. Insoluble in water.

**10.6 HAZARDOUS DECOMPOSITION PRODUCTS**

**Hazardous decomposition products:** No hazardous decomposition products are known.

**Hazardous polymerization:** Does not occur.

**Other information:** Not available.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 INFORMATION ON TOXICOLOGICAL EFFECTS**

**Acute toxicity:** Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

**Likely routes of exposure:** Skin contact. Eye contact. Inhalation.

**Eye:** Direct contact with eyes may cause temporary irritation.

**Skin:** No adverse effects due to skin contact are expected. Prolonged skin contact may cause dryness, redness, or cracking.

**Ingestion:** Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. May cause headache, nausea, vomiting and an altered state of consciousness.

**Inhalation:** Not an expected route of exposure. No adverse effects due to inhalation are expected.

**LD50/LC50 values relevant to this classification:**

**Distillates (petroleum), hydrotreated light**

Oral rat LD50 > 5000 mg/kg bw (10 tests)

Oral rat LD50 > 20,000 mg/kg bw

Derm rabbit LD50 > 2000 mg/kg bw (10 tests)

**Calculated overall chemical acute toxicity values for this formulation:**

Calculated overall Chemical Acute Toxicity Values		
LC50 (inhalation)	LD50 (oral)	LD50 (dermal)
>5 mg/kg (dust and mist)	>2000 mg/kg	>2000 mg/kg

**11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE**

**Skin corrosion/irritation:** Based on available data, this product is not expected to cause skin corrosion or irritation. Prolonged skin contact may cause dryness, redness, or cracking.

**Serious eye damage/irritation:** Based on available data, this product is not expected to cause serious eye damage or irritation. Direct contact with eyes may cause temporary irritation.

**Respiratory sensitization:** Based on available data, this product is not expected to cause respiratory sensitization.

**SAFETY DATA SHEET**

<b>Skin sensitization:</b>	Based on available data, this product is not expected to cause skin sensitization.
<b>Symptoms and target organs:</b>	Aspiration may cause pulmonary edema and pneumonitis. May cause headache, nausea, vomiting and an altered state of consciousness.
<b>Chronic health effects:</b>	No chronic health effects known.
<b>Carcinogenicity:</b>	This product is not classified as a carcinogen.
<b>Mutagenicity:</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Reproductive Toxicity:</b>	This product is not expected to cause reproductive or developmental effects.
<b>Specific Target Organ Toxicity (STOT):</b>	
<b>Single Exposure:</b>	Not classified as an STOT - Single Exposure.
<b>Repeated Exposure:</b>	Not classified as an STOT - Repeated Exposure.
<b>Aspiration Toxicity:</b>	May be fatal if swallowed and enters airways.
<b>Other Information:</b>	Not available.

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1 ECOTOXICITY**

<b>Ecotoxicity:</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>Acute aquatic toxicity:</b>	The product is not classified as acutely environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>Chronic toxicity:</b>	The product is not classified as having a chronic environmental hazard. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>Environmental effects:</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**12.2 PERSISTENCE AND DEGRADABILITY**

<b>Persistence/biodegradability:</b>	The product contains substances which are not expected to be readily biodegradable.
--------------------------------------	---

**12.3 BIOACCUMULATIVE POTENTIAL**

<b>Bioaccumulation:</b>	No data available.
-------------------------	--------------------

**12.4 MOBILITY**

<b>Mobility:</b>	No data available.
<b>Mobility in soil:</b>	No data available.
<b>Mobility in non-soil:</b>	No data available.

**12.5 OTHER ADVERSE EFFECTS**

<b>Ozone layer:</b>	No data available.
---------------------	--------------------

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 WASTE TREATMENT METHODS**

<b>Disposal method:</b>	This material must be disposed of in accordance with all local, state, provincial, and federal regulations.
<b>Contaminated packaging:</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Dispose of contents and container in accordance with all local, regional, national and international regulations.
<b>EU codes:</b>	The Waste code should be assigned in discussion between the user, the



**SAFETY DATA SHEET**

<b>Residual waste:</b>	producer and the waste disposal company. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Disposal instructions:</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents and container in accordance with all local, regional, national and international regulations.
<b>Waste codes:</b>	D001: Waste Flammable material with a flash point <140°F(<60°C) The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Other disposal recommendations:</b>	None

**SECTION 14: TRANSPORT INFORMATION****DOT Non-Bulk**

Not hazardous for transport under exception 173.150 (f) (1-3)

**DOT Bulk**

**UN:** UN1268

**Proper shipping name:** Petroleum distillates, n.o.s.

**Hazard class:** 3

**Packing group:** PG III

**IMDG**

**UN:** UN1268

**Proper shipping name:** Petroleum distillates, n.o.s.

**Hazard class:** 3

**Packing group:** PG III

**ICAO/IATA**

**UN:** UN1268

**Proper shipping name:** Petroleum distillates, n.o.s.

**Hazard class:** 3

**Packing group:** PG III

**Reportable quantity:** Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material

**SECTION 15: REGULATORY INFORMATION****15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL****US Federal Regulations:****U.S. OSHA (Occupational Safety and Health Administration) Specifically Regulated Substances (29 CFR 1910.1001-1050)**

No components of this product are present at concentration greater than or equal to 0.1% and are identified as a carcinogen or potential carcinogen by OSHA.

**SARA/CERCLA reporting requirements:**

No components of this product are found at concentrations greater than or equal to 0.1% and are subject to the SARA/CERCLA reporting requirements.

**State Right-to-Know Regulations**

No components of this product are found at concentrations greater than or equal to 0.1% and are subject to state Right-to-Know reporting requirements.

**Global Inventories:**

Notification status:	
US - TSCA	All substances are listed
Canada -DSL	All substances are listed
Canada - NDSL	No substances are listed
EU - EINECS	All substances are listed
EU - ELINCS	No substances are listed
EU - NLP	No substances are listed
Australia – AICS	All substances are listed
China - EICSC	All substances are listed
Japan - ENCS	All substances are listed
Korea - KECI	All substances are listed
Taiwan - NECI	All substances are listed
New Zealand - NZIoC	All substances are listed
Philippine - PICCS	All substances are listed

**EU - REACH Status:**

A registration number is not available for substances in this mixture as the substances are exempted from registration, the annual tonnage does not require a registration or the registration is envisioned for a later registration deadline.

**CANADA – WHMIS (Workplace Hazardous Materials Information System) Classification:**

B2



**MEXICO:**

**Hazard Classification:** 1-2-0  
**Carcinogen Status:** No data available.

**SECTION 16: OTHER INFORMATION**

**HMIS (Hazardous Materials Identification System) rating:**

<b>Health:</b>	<b>1</b>
<b>Flammability:</b>	<b>2</b>
<b>Physical:</b>	<b>0</b>

**NFPA 704 (National Fire Protection Association) rating:**

<b>Health</b>	<b>1</b>
<b>Fire</b>	<b>2</b>
<b>Reactivity</b>	<b>0</b>

**SAFETY DATA SHEET****Legend:**

DOT	US Department of Transportation
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
ACGIH	American Conference of Governmental Industrial Hygienists
NTP	National Toxicology Program
IARC	International Agency for Research on Cancer
PPE	Personal Protective Equipment
RCRA	Resource Conservation and Recovery Act
CAA	Clean Air Act
SARA	Superfund Amendments and Reauthorization Act
EPCRA	Emergency Planning and Community Right-to-Know Act
WHMIS	Workplace Hazardous Materials Information System
EU	European Union
REACH	Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
TSCA	US Toxic Substances Control Act (TSCA)
DSL	Canada Domestic Substance List (DSL)
NDSL	Canada Non-Domestic Substance List (NDSL)
EINECS	European Inventory of Existing Commercial Chemical Substances (EINECS)
ELINCS	European List of Notified Chemical Substances (ELINCS)
NLP	European list of No-longer Polymers (NLP)
AICS	Australian Inventory of Chemical Substances (AICS)
EICSC	China Existing Chemical Inventory - IECSC
ENCS	Japanese Existing and New Chemical Substances Inventory(ENCS)
KECI	Korea Existing Chemicals Inventory(KECI)
NECI	Taiwan National Existing Chemical Inventory (NECI)
NZIoC	New Zealand Inventory of Chemicals (NZIoC)
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
HMIS	Hazardous Materials Identification System
NFPA	National Fire Protection Association (NFPA)

<b>Date of preparation:</b>	December 29, 2015
<b>Version:</b>	1.0
<b>Revision Date:</b>	December 29, 2015
<b>Disclaimer:</b>	We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.
<b>Prepared by:</b>	Gaco Western LLC

**End of Safety Data Sheet**