

## SAFETY DATA SHEET

### SECTION 1: IDENTIFICATION

#### 1.1 PRODUCT IDENTIFIER

**Product Name:** GacoFlex 2-Part Epoxy Primer/Filler - Part A  
**Product Code:** E5320A, E5320A-1, E5320A-5, E5320A-Q

#### 1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

**Product Use:** Architectural Coating and Waterproofing  
 Use this product in accordance with all local, regional, national and international regulations.

#### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

**Name/Address:** Firestone Building Products  
 200 4th Avenue South  
 Nashville, TN 37201  
 Gaco is a Firestone Building Products brand

**Telephone Number:** 800-331-0196 / **International:** 001-800-331-0196

**Email:** [sds@gaco.com](mailto:sds@gaco.com)

**Website:** [www.gaco.com](http://www.gaco.com)

#### 1.4 EMERGENCY TELEPHONE NUMBER

For Chemical Emergency  
 Spill, Leak, Fire, Exposure, or Incident  
 Within USA and Canada: 1-800-424-9300  
 Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

### SECTION 2: HAZARD(S) IDENTIFICATION

#### 2.1 CLASSIFICATION OF THE CHEMICAL

Hazard class:

HAZARD CLASSIFICATION	CATEGORY
Skin Corrosion/Irritation	2
Eye Damage/Irritation	2
Sensitization - Skin	1
Carcinogenicity	2
STOT RE - Specific Toxic Organ Toxicity (Repeated Exposure)	2

#### 2.2 LABEL ELEMENTS

**Hazard pictogram:** GHS07, GHS08



## SAFETY DATA SHEET

<b>Signal word:</b>	WARNING
<b>Hazard statement:</b>	Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation Suspected of causing cancer <inhalation> May cause damage to organs <ears> through prolonged or repeated exposure
<b>Prevention:</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.
<b>Response:</b>	Specific treatment (see Section 8 on this label). If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or a rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Storage:</b>	Store locked up.
<b>Disposal:</b>	Dispose of contents and container in accordance with all local, regional, national and international regulations.

### 2.3 ADDITIONAL INFORMATION

<b>Main symptoms:</b>	Prolonged exposure may cause chronic effects. Suspected of causing cancer. May cause damage to organs <ears> through prolonged or repeated exposure. May cause allergic skin reaction. Dermatitis. Rash. Causes skin irritation. May cause redness and pain. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
<b>Hazards not otherwise specified:</b>	None Known

23% of the mixture consists of ingredient(s) of unknown acute toxicity

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 MIXTURES

Material	CAS No.	Weight %*
Limestone	1317-65-3	30-60%
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxiran]e] (DGEbPA-based polymer)	25036-25-3	10-30%
Xylene (mixed isomers)	1330-20-7	1-5%
Titanium dioxide (dust)	13463-67-7	1-5%
Ethylbenzene	100-41-4	1-5%
Silica, quartz (dust)	14808-60-7	0.1-1.0%

\*The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

## SECTION 4: FIRST-AID MEASURES

## SAFETY DATA SHEET

### 4.1 DESCRIPTION OF THE FIRST AID MEASURES

<b>General information:</b>	Ensure that medical personnel are aware of the materials(s) involved, and take precautions to protect themselves.
<b>Inhalation:</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact:</b>	Remove contaminated clothing immediately and wash skin with soap and water. Wash contaminated clothing before reuse. In case of eczema or other skin disorders: Seek medical attention and bring along these instructions.
<b>Eye contact:</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Ingestion:</b>	Rinse mouth. Get medical attention if symptoms occur.

### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Prolonged exposure may cause chronic effects.  
 Suspected of causing cancer.  
 May cause damage to organs <ears> through prolonged or repeated exposure.  
 May cause allergic skin reaction. Dermatitis. Rash.  
 Causes skin irritation. May cause redness and pain.  
 Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

<b>Note to physicians:</b>	Treat symptomatically. Symptoms may be delayed.
<b>Specific treatments:</b>	In case of accident or if you feel unwell, seek medical advice (show the label or SDS where possible).

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1 EXTINGUISHING MEDIA

<b>General hazards:</b>	No unusual fire or explosion hazard.
<b>Suitable extinguishing media:</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2)
<b>Unsuitable extinguishing media:</b>	Do not use water jet as an extinguisher as this will spread the fire.

### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

<b>Specific hazards:</b>	During fire, gases hazardous to health may be formed.
<b>Products of combustion:</b>	May include, and are not limited to: oxides of carbon.

### 5.3 Special protective equipment and precautions for fire-fighters (PPE)

<b>Special protective equipment for fire-fighters:</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Special fire-fighting procedures:</b>	Keep upwind of fire. Move containers from fire area if you can do it without risk.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled

**SAFETY DATA SHEET**

material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained.

**6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP**

- Methods for containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
- Methods for cleaning-up:** Stop the flow of material, if this is without risk. Dike far ahead of spill for later disposal. Following product recovery, flush area with water. For waste disposal, see Section 13 of the SDS.
- Large spills:** Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
- Small spills:** Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.  
Never return spills to original containers for re-use.
- Environmental precautions:** Avoid discharge into drains, water courses or onto the ground.

**SECTION 7: HANDLING AND STORAGE**

**7.1 PRECAUTIONS FOR SAFE HANDLING**

- Precautions for Safe handling:** Observe good industrial hygiene practices.
- General hygiene advice:** Ensure that medical personnel are aware of the materials(s) involved, and take precautions to protect themselves.

**7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

- Safe storage:** Store away from incompatible materials.
- Specific use:** Architectural Coating and Waterproofing
- Technical measures:** No specific recommendations.
- Incompatible materials:** None known, avoid strong oxidizing agents.
- Safe packaging material:** No specific recommendations.
- Precautions:** Use personal protective recommended in Section 8 of the SDS.
- Safe handling advice:** Observe good industrial hygiene practices.
- Suitable storage conditions:** Store away from incompatible materials.
- Handling-technical measures:** No specific recommendations.
- Local and general ventilation:** Provide adequate ventilation.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 CONTROL PARAMETERS**

- Control parameters:** Follow standard monitoring procedures.

**Exposure limits:**

- Limestone**
- OSHA:
- PEL: TWA 15 mg/m3 (total)
- TWA 5 mg/m3 (resp)
- NIOSH:
- REL: TWA 10 mg/m3 (total)
- TWA 5 mg/m3 (resp)
- ACGIH TLV: 2 mg/m3 (resp)

**SAFETY DATA SHEET**

**Xylene (mixed isomers)**

OSHA:  
 PEL-TWA ppm: 100  
 PEL-TWA mg/m3: 435  
 NIOSH:  
 REL-TWA ppm: 100  
 REL-TWA mg/m3: 435  
 REL-STEL ppm: 150  
 REL-STEL mg/m3: 655  
 IDLH ppm: 900

**Titanium dioxide (dust)**

OSHA:  
 PEL†: TWA 15 mg/m3  
 TWA: 15 mg/m3 total dust  
 (vacated) TWA: 10 mg/m3 total dust  
 NIOSH:  
 IDLH: 5000 mg/m3  
 REL: Ca See Appendix A  
 ACGIH:  
 TWA: 10 mg/m3  
 No significant exposure to primary particles of titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints

**Ethylbenzene**

OSHA:  
 PEL †: TWA 100 ppm (435 mg/m3)  
 NIOSH:  
 REL: TWA 100 ppm (435 mg/m3)  
 ST 125 ppm (545 mg/m3)

**8.2 EXPOSURE CONTROLS**

**Engineering measures to reduce exposure:**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level.

**8.3 INDIVIDUAL PROTECTIVE MEASURES**

**General:** Use personal protective equipment as required.  
**Eye protection:** If contact is likely, safety glasses with side shields are recommended.  
**Hand protection:** Wear appropriate chemical resistant gloves.  
**Respiratory protection:** In case of insufficient ventilation, wear suitable respiratory equipment.  
**Skin and body protection:** Wear appropriate chemical resistant clothing.  
**Hygiene measures:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.  
**Thermal hazards:** Wear appropriate thermal protective clothing, when necessary.

**Environmental exposure controls:** Environmental manager must be informed of all major releases.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Viscous white liquid
<b>Color:</b>	White
<b>Form:</b>	Liquid
<b>Odor:</b>	Mild Solvent
<b>Odor Threshold:</b>	Not applicable
<b>Physical State:</b>	Liquid
<b>pH (at 20°C):</b>	Not applicable
<b>Melting Point/Freezing Point:</b>	Not applicable
<b>Initial Boiling Point and Boiling Range:</b>	Not applicable
<b>Flash Point:</b>	>200°F/>93°C
<b>Evaporation Rate:</b>	Not applicable
<b>Flammability (solid, gaseous):</b>	Not Flammable
<b>Lower Flammability/Explosive Limit:</b>	Not applicable
<b>Upper Flammability/Explosive Limit:</b>	Not applicable
<b>Vapor Pressure (mm Hg @38°C):</b>	Not applicable
<b>Vapor Density:</b>	Not applicable
<b>Density (lb/gal):</b>	12.66
<b>Relative Density/Specific Gravity:</b>	1.52
<b>Solubility in water/miscibility:</b>	High solubility in water
<b>Partition coefficient: n-octanol/water:</b>	Not applicable
<b>Auto-ignition Temperature:</b>	Not applicable
<b>Decomposition Temperature:</b>	Not applicable
<b>Viscosity (at 25°C) g/L:</b>	108 ku
<b>Oxidizing Properties:</b>	Not applicable
<b>Explosive Properties:</b>	Not applicable
<b>VOC:</b>	<100 g/L (<0.83 lb/gal)
<b>Solvent content - Organic:</b>	Not applicable
<b>Solvent content - Water:</b>	Not applicable
<b>Solvent content - Solids:</b>	56.73
<b>Other information:</b>	Not applicable
<b>Incompatibilities:</b>	None known, avoid strong oxidizing agents.

**SECTION 10: STABILITY AND REACTIVITY**

<b>10.1 REACTIVITY</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>10.2 CHEMICAL STABILITY</b>	
<b>Chemical stability:</b>	Material is stable under normal conditions.
<b>Materials to avoid:</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>10.3 POSSIBILITY OF HAZARDOUS REACTIONS</b>	
<b>Hazardous reactions:</b>	No dangerous reaction known under conditions of normal use.
<b>10.4 CONDITIONS TO AVOID</b>	Contact with incompatible materials.
<b>10.5 INCOMPATIBLE MATERIALS</b>	None known, avoid strong oxidizing agents.
<b>10.6 HAZARDOUS DECOMPOSITION PRODUCTS</b>	
<b>Hazardous decomposition products:</b>	No hazardous decomposition products are known.
<b>Hazardous polymerization:</b>	Does not occur.

**Other information:** Not applicable.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 INFORMATION ON TOXICOLOGICAL EFFECTS**

**Acute toxicity:** May cause an allergic skin reaction. Dermatitis. Rash. Causes skin irritation. May cause redness and pain. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

**Likely routes of exposure:** Skin contact. Eye contact. Inhalation.

**Eye:** Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

**Skin:** May cause an allergic skin reaction. Dermatitis. Rash. Causes skin irritation. May cause redness and pain.

**Ingestion:** Not an expected route of exposure. Expected to be a low ingestion hazard.

**Inhalation:** Not an expected route of exposure. No adverse effects due to inhalation are expected.

**LD50/LC50 values relevant to this classification:**

**Xylene (mixed isomers)**

Oral rat LD50 3523-4000 mg/kg bw  
 Oral rat LD50 5251-5627 mg/kg bw  
 Oral rat LD50 4300 mg/kg bw  
 Oral rat LD50 8400 mg/kg  
 Derm rabbit LD50 >5000 ml/kg bw (4200 mg/kg)  
 Inhal rat LC50 6700 ppm (29000 mg/m3)  
 Inhal rat LC50 6247 ppm (27124 mg/m3)

**Titanium dioxide (dust)**

Oral mouse LD50 > 5000 mg/kg bw  
 Oral rat LD50 > 5000 mg/kg bw  
 Oral rat LD50 > 2000 mg/kg bw  
 Oral rat LD50 > 11000 mg/kg bw  
 Inhal rat LC50 3.43-5.09 mg/L air  
 Inhal rat LC50 > 3.56 mg/L air  
 Inhal rat LC50 > 2.28 mg/L air  
 Inhal rat LC50 > 6.82 mg/L air 4hr

**Ethylbenzene**

Oral rat LD50 3500 mg/kg bw/day  
 Oral rat LD50 5460 mg/kg bw/day  
 Inhal mouse LC50 6.2 mg/L air  
 Inhal rat LC0 > 400 ppm air no deaths  
 Inhal gp LC50 >3000 ppm air  
 Inhal mice LC50 > 8000 ppm  
 Inhal mouse LC50 35.5 mg/L air  
 Inhal rat LC50 4000 ppm

**Calculated overall chemical acute toxicity values for this formulation:**

Calculated overall Chemical Acute Toxicity Values		
LC50 (inhalation)	LD50 (oral)	LD50 (dermal)
>5 mg/kg (dust and mist)	>2000 mg/kg	>2000 mg/kg

## SAFETY DATA SHEET

### 11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

- Skin corrosion/irritation:** Causes skin irritation. May cause redness and pain.
- Serious eye damage/irritation:** Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
- Respiratory sensitization:** Based on available data, this product is not expected to cause respiratory sensitization.
- Skin sensitization:** May cause an allergic skin reaction.
- Symptoms and target organs:** Prolonged exposure may cause chronic effects. Suspected of causing cancer. May cause damage to organs <ears> through prolonged or repeated exposure. May cause allergic skin reaction. Dermatitis. Rash. Causes skin irritation. May cause redness and pain. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
- Chronic health effects:** Prolonged exposure may cause chronic effects. Suspected of causing cancer. May cause damage to organs <ears> through prolonged or repeated exposure.
- Carcinogenicity:** Suspected of causing cancer.

Material	OSHA(O)	ACGIH(G)	NTP(N)	IARC(I)
Titanium dioxide (dust)	Not listed	A4	Not listed	2B
Ethylbenzene	Not listed	A3	Not listed	2B
Silica, quartz (dust)	Not listed	A2	K	1

**SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:**

**OSHA (O)** –Occupational Safety and Health Administration  
 Ca/Yes = Expected to be carcinogenic  
 not listed = Not expected to be carcinogenic

**NTP (N)** –National Toxicology Program

K =Known to be a carcinogen  
 R = Reasonably anticipated to be a carcinogen  
 not listed = Not expected to be carcinogenic

**ACGIH (G)** –American Conference of Governmental Industrial Hygienists

A1 =Confirmed human carcinogen  
 A2 =Suspected human carcinogen  
 A3 =Animal carcinogen  
 A4 =Not classifiable as a human carcinogen  
 A5 =Not suspected as a human carcinogen  
 not listed = Not expected to be carcinogenic

**IARC (I)** –International Agency for Research on Cancer

1 =Carcinogenic to humans  
 2A =Probably carcinogenic to humans  
 2B =Possibly carcinogenic to humans  
 3 =Not classifiable as to its carcinogenicity to humans  
 4 =Probably not carcinogenic to humans  
 not listed = Not expected to be carcinogenic

- Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
- Reproductive Toxicity:** This product is not expected to cause reproductive or developmental effects.
- Specific Target Organ Toxicity (STOT):**
- Single Exposure:** Not classified as an STOT - Single Exposure.
- Repeated Exposure:** May cause damage to organs <ears> through prolonged or repeated exposure.
- Aspiration Toxicity:** Based on available data, this product is not expected to cause aspiration toxicity.
- Other Information:** Not applicable.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 ECOTOXICITY

- Ecotoxicity:** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
- Acute aquatic toxicity:** The product is not classified as acutely environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
- Chronic toxicity:** The product is not classified as having a chronic environmental hazard. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.



**SAFETY DATA SHEET**

**Environmental effects:** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**12.2 PERSISTENCE AND DEGRADABILITY**

**Persistence/biodegradability:** The product contains substances which are not expected to be readily biodegradable.

**12.3 BIOACCUMULATIVE POTENTIAL**

**Bioaccumulation:** No data available.

**12.4 MOBILITY**

**Mobility:** No data available.  
**Mobility in soil:** No data available.  
**Mobility in non-soil:** No data available.

**12.5 OTHER ADVERSE EFFECTS**

**Ozone layer:** No data available.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 WASTE TREATMENT METHODS**

**Disposal method:** This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

**Contaminated packaging:** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Dispose of contents and container in accordance with all local, regional, national and international regulations.

**EU codes:** The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Residual waste:** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Disposal instructions:** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Waste codes:** The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Other disposal recommendations:** None

**SECTION 14: TRANSPORT INFORMATION**

**DOT Non-Bulk**

Not classified as Dangerous Goods for Transport

**DOT Bulk**

Not classified as Dangerous Goods for Transport

**IMDG**

Not classified as Dangerous Goods for Transport

**ICAO/IATA**

Not classified as Dangerous Goods for Transport

**Reportable quantity:** Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

## SAFETY DATA SHEET

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material

### SECTION 15: REGULATORY INFORMATION

#### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

##### US Federal Regulations:

##### U.S. OSHA (Occupational Safety and Health Administration) Specifically Regulated Substances (29 CFR 1910.1001-1050)

No components of this product are present at concentration greater than or equal to 0.1% and are identified as a carcinogen or potential carcinogen by OSHA.

##### SARA/CERCLA reporting requirements:

The following components of this product are found at concentrations greater than or equal to 0.1% and are subject to SARA/CERCLA reporting requirements.

Material	SARA 302 (EHSs) TPQ	SARA 304 EHSs RQ	CERCLA RQ	SARA 313 listed	RCRA CODE	CAA 112(r) TQ
Xylene (mixed isomers)	Not listed	Not listed	100	313	U239	Not listed
Ethylbenzene	Not listed	Not listed	1,000	313	Not listed	Not listed

##### State Right-to-Know Regulations

The following components of this product are found at concentrations greater than or equal to 0.1%, subject to state Right-to-Know reporting requirements; or are found at any concentration and are listed under California Proposition 65.

Material	California Proposition 65	Massachusetts Right-to-Know	Minnesota Employee Right-to-Know	New Jersey Community Environmental Hazard Right-to-Know	New Jersey Right-to-Know Substance	Pennsylvania Right-to-Know	Rhode Island Right-to-Know
Limestone	Not listed	Listed	Listed	Not listed	Listed	Listed	Not listed
Xylene (mixed isomers)	Not listed	Listed	Listed	Not listed	Listed	Listed	Listed
Titanium dioxide (dust)	Cancer (airborne, unbound particles of respirable size)	Listed	Listed	Not listed	Listed	Listed	Not listed
Ethylbenzene	Cancer	Listed	Listed	Listed	Listed	Listed	Listed
Silica, quartz (dust)	Cancer (airborne, unbound particles of respirable size)	Listed	Listed	Listed	Listed	Listed	Not listed
Silicon dioxide (dust)	Not listed	Listed	Listed	Not listed	Not listed	Listed	Not listed

##### California:

##### Proposition 65:



**WARNING:** This product can expose you Ethylbenzene, which is known to the State of California to cause cancer. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

##### Global Inventories:

## SAFETY DATA SHEET

Notification status:	
US - TSCA	All substances are listed
Canada - DSL	All substances are listed
Canada - NDSL	No substances are listed
EU - EINECS	Not all substances are listed
EU - ELINCS	No substances are listed
EU - NLP	At least 1 substance is listed
Australia – AICS	All substances are listed
China - EICSC	All substances are listed
Japan - ENCS	All substances are listed
Korea - KECI	All substances are listed
Taiwan - NECI	All substances are listed
New Zealand - NZIoC	All substances are listed
Philippine - PICCS	All substances are listed

### EU - REACH Status:

A registration number is not available for substances in this mixture as the substances are exempted from registration or the annual tonnage does not require a registration.

HAZARD CLASSIFICATION	CATEGORY
Skin Corrosion/Irritation	2
Eye Damage/Irritation	2
Sensitization - Skin	1
Carcinogenicity	2
STOT RE - Specific Toxic Organ Toxicity (Repeated Exposure)	2

### CANADA – WHMIS (Workplace Hazardous Materials Information System) Classification (GHS):

HAZARD CLASSIFICATION	CATEGORY
Skin Corrosion/Irritation	2
Eye Damage/Irritation	2
Sensitization - Skin	1
Carcinogenicity	2
STOT RE - Specific Toxic Organ Toxicity (Repeated Exposure)	2

### MEXICO (GHS):

HAZARD CLASSIFICATION	CATEGORY
Skin Corrosion/Irritation	2
Eye Damage/Irritation	2
Sensitization - Skin	1
Carcinogenicity	2
STOT RE - Specific Toxic Organ Toxicity (Repeated Exposure)	2

**Carcinogen Status:** No data available.

## SECTION 16: OTHER INFORMATION

### HMIS (Hazardous Materials Identification System) rating:

<b>Health:</b>	<b>2*</b>
<b>Flammability:</b>	<b>1</b>

## SAFETY DATA SHEET

<b>Physical:</b>	<b>0</b>
------------------	----------

**NFPA 704 (National Fire Protection Association) rating:**

<b>Health</b>	<b>2</b>
<b>Fire</b>	<b>1</b>
<b>Reactivity</b>	<b>0</b>

**Legend:**

DOT	US Department of Transportation
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
ACGIH	American Conference of Governmental Industrial Hygienists
NTP	National Toxicology Program
IARC	International Agency for Research on Cancer
PPE	Personal Protective Equipment
RCRA	Resource Conservation and Recovery Act
CAA	Clean Air Act
SARA	Superfund Amendments and Reauthorization Act
EPCRA	Emergency Planning and Community Right-to-Know Act
WHMIS	Workplace Hazardous Materials Information System
EU	European Union
REACH	Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
TSCA	US Toxic Substances Control Act (TSCA)
DSL	Canada Domestic Substance List (DSL)
NDSL	Canada Non-Domestic Substance List (NDSL)
EINECS	European Inventory of Existing Commercial Chemical Substances (EINECS)
ELINCS	European List of Notified Chemical Substances (ELINCS)
NLP	European list of No-longer Polymers (NLP)
AICS	Australian Inventory of Chemical Substances (AICS)
EICSC	China Existing Chemical Inventory - IECSC
ENCS	Japanese Existing and New Chemical Substances Inventory(ENCS)
KECI	Korea Existing Chemicals Inventory(KECI)
NECI	Taiwan National Existing Chemical Inventory (NECI)
NZIoC	New Zealand Inventory of Chemicals (NZIoC)
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
HMIS	Hazardous Materials Identification System
NFPA	National Fire Protection Association (NFPA)

**Date of preparation:** May 30, 2018

**Version:** 1.0

**Revision Date:** May 30, 2018

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**Prepared by:** Firestone Building Products  
200 4th Avenue South  
Nashville, TN 37201  
Gaco is a Firestone Building Products brand

**End of Safety Data Sheet**