SECTION 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

 Product Name:
 E5691 Epoxy Side A

 Product Code:
 E5691A, E5691A-Q, E5691A-1

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Product Use: Architectural Coating and Waterproofing

Use this product in accordance with all local, regional, national and international regulations.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: Firestone Building Products Company, LLC

200 4th Avenue South Nashville, TN 37201

Gaco is a Firestone Building Products brand

Telephone Number: 800-331-0196 / International: 001-800-331-0196

Email: sds@gaco.com Website: www.gaco.com

1.4 EMERGENCY TELEPHONE NUMBER

For Chemical Emergency Spill, Leak, Fire, Exposure, or Incident Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL

Hazard class:

HAZARD CLASSIFICATION	CATEGORY
Skin Corrosion/Irritation	2
Eye Damage/Irritation	2A
Sensitization - Skin	1
STOT SE - Specific Toxic Organ Toxicity (Single Exposure)	3

2.2 LABEL ELEMENTS

Hazard pictogram: GHS07



Firestone

Classified to the 2012 OSHA Hazard Communication Standard 29 CFR 1920.1200.

SAFETY DATA SHEET

Signal word: Warning

Hazard statement: Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation May cause respiratory irritation

Prevention: Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Avoid release to the environment. (section 12 only) Wear protective gloves/eye protection/face protection.

Response: Specific treatment (see Section 8 on this label).

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse. If skin irritation or a rash occurs: Get medical advice/attention.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Collect spillage.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked

up.

Disposal: Dispose of contents and container in accordance with all local, regional,

national and international regulations.

2.3 ADDITIONAL INFORMATION

Main symptoms: Prolonged exposure may cause chronic effects. May cause allergic skin

reaction. Dermatitis. Rash. Causes skin irritation. May cause redness and pain.

Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation.

Hazards not otherwise specified: Toxic to aquatic life with long lasting effects

95% of the mixture consists of ingredient(s) of unknown acute toxicity

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

Material	CAS No.	Weight %*
Phenol-Formaldehyde Polymer Glycidyl Ether	28064-14-4	80-100%
Ethylene Oxide	75-21-8	5-10%
Oxirane, Mono[9C12-14-alkyloxy)methyl] derivs.	68609-97-2	1-5%
Bisephenol A Epoxy Resin	25068-38-6	1-5%
Other components below reportable levels		<1%

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: FIRST-AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURES



SAFETY DATA SHEET

General information: Ensure that medical personnel are aware of the materials(s) involved, and

take precautions to protect themselves.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a physician if symptoms develop or persist.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and

water. Wash contaminated clothing before reuse. In case of eczema or other skin disorders: Seek medical attention and bring along these instructions.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical

attention if irritation develops and persists.

Ingestion: Rinse mouth. Get medical attention if symptoms occur.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Prolonged exposure may cause chronic effects. May cause allergic skin reaction. Dermatitis. Rash. Causes skin irritation. May cause redness and pain.

Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

May cause respiratory irritation.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

Note to physicians: Treat symptomatically.

Specific treatments: In case of accident or if you feel unwell, seek medical advice (show the label

or SDS where possible).

SECTION 5: FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

General hazards: No unusual fire or explosion hazard.

Suitable extinguishing media: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2) **Unsuitable extinguishing media:** Do not use water jet as an extinguisher as this will spread the fire.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Specific hazards: During fire, gases hazardous to health may be formed. **Products of combustion:** May include, and are not limited to: oxides of carbon.

5.3 Special protective equipment and precautions for fire-fighters (PPE)

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

Special fire-fighting procedures: Keep upwind of fire. Move containers from fire area if you can do it

without risk.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities

should be advised if significant spillages cannot be contained.





6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then

place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning-up: Stop the flow of material, if this is without risk. Dike far ahead of spill for later

disposal. Following product recovery, flush area with water. For waste

disposal, see Section 13 of the SDS.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material,

where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Prevent

product from entering drains.

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly

to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions: Avoid release to the environment. Inform appropriate managerial or

supervisory personnel of all environmental releases.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Precautions for Safe handling: Observe good industrial hygiene practices.

General hygiene advice: Ensure that medical personnel are aware of the materials(s) involved, and

take precautions to protect themselves.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Safe storage: Store away from incompatible materials.
Specific use: Architectural Coating and Waterproofing

Technical measures: No specific recommendations.

Incompatible materials: Amines will cause exothermic reaction.

Safe packaging material: No specific recommendations.

Precautions: Use personal protective recommended in Section 8 of the SDS.

Safe handling advice: Observe good industrial hygiene practices. **Suitable storage conditions:** Store away from incompatible materials.

Handling-technical measures: No specific recommendations. **Local and general ventilation:** Provide adequate ventilation.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Control parameters: Follow standard monitoring procedures.

Exposure limits:

Ethylene Oxide

OSHA:

PEL-TWA ppm: 1 PEL-STEL ppm: 5

NIOSH:

REL-TWA ppm: 0.1 REL-TWA mg/m3: 0.18

REL-C ppm: 5 REL-C mg/m3: 9



8.2 EXPOSURE CONTROLS

Engineering measures to reduce exposure:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level.

8.3 INDIVIDUAL PROTECTIVE MEASURES

General: Use personal protective equipment as required. **Eye protection:** Wear safety glasses with side shields (or goggles).

Hand protection: Wear appropriate chemical resistant gloves. Examples of preferred glove

barrier materials include: Nitrile, Polyvinyl alcohol (PVA), Neoprene. Suitable

gloves can be recommended by the glove supplier.

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Skin and body protection: Wear appropriate chemical resistant clothing.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Thermal hazards: Wear appropriate thermal protective clothing, when necessary.

Environmental exposure controls: Inform appropriate managerial or supervisory personnel of all environmental

releases.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear Colorless Liquid

Color:ClearForm:LiquidOdor:Light odorOdor Threshold:Not applicable

Physical State: Liquid

pH (at 20°C): Not applicable **Melting Point/Freezing Point:** Not applicable **Initial Boiling Point and Boiling Range:** Not applicable Flash Point: 302°F/150°C **Evaporation Rate:** Not applicable Flammability (solid, gaseous): Not Flammable Lower Flammability/Explosive Limit: Not applicable **Upper Flammability/Explosive Limit:** Not applicable Vapor Pressure (mm Hg @38°C): Not applicable Not applicable Vapor Density:

Density (lb/gal): 9.7 Relative Density/Specific Gravity: 1.2

Solubility in water/miscibility:

Partition coefficient: n-octanol/water:

Auto-ignition Temperature:

Decomposition Temperature:

Viscosity (at 25°C) g/L:

Oxidizing Properties:

Explosive Properties:

Not soluble in water

Not applicable

Not applicable

Not applicable

Not applicable



SAFETY DATA SHEET

VOC: <10 g/L (<0.083 lb/gal)

Solvent content - Organic: Not applicable
Solvent content - Water: Not applicable

Solvent content - Solids: 100%

Other information: Not applicable

Incompatibilities: Amines will cause exothermic reaction.

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY The product is stable and non-reactive under normal conditions of use,

storage and transport.

10.2 CHEMICAL STABILITY

Chemical stability: Material is stable under normal conditions.

Materials to avoid: The product is stable and non-reactive under normal conditions of use,

storage and transport.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Hazardous reactions: No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID Contact with incompatible materials.

10.5 INCOMPATIBLE MATERIALS Amines will cause exothermic reaction.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous decomposition products: No hazardous decomposition products are known.

Hazardous polymerization: Does not occur.

Other information: Not applicable.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity: May cause an allergic skin reaction. Dermatitis. Rash. Causes skin irritation.

May cause redness and pain. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause

respiratory irritation.

Likely routes of exposure: Skin contact. Eye contact. Inhalation.

Eye: Causes serious eye irritation. Symptoms may include stinging,

tearing, redness, swelling, and blurred vision.

Skin: May cause an allergic skin reaction. Dermatitis. Rash. Causes skin

irritation. May cause redness and pain.

Ingestion: Not an expected route of exposure. Expected to be a low ingestion

hazard.

Inhalation: May cause respiratory irritation.

LD50/LC50 values relevant to this classification:

Oxirane, Mono[9C12-14-alkyloxy)methyl] derivs.

Oral rat LD50 30.1 mL/kg bw (26,800 mg/kg bw)

Oral rat LD50 >2,000 mg/kg bw Inhal rat LC0 0.15 mg/L air 7hr

Derm rabbit LD50 >4.5 mL/kg bw (>4,000 mg/kg bw)

Bisephenol A Epoxy Resin



Oral rat LD50 >2000 mg/kg bw Oral rabbit LD50 19,800 mg/kg bw Oral rat LD50 > 15000 mg/kg bw Oral rat LD50 22,500 mg/kg bw Oral rat LD50 11,400 mg/kg bw Oral rat LD50 13,000 mg/kg bw Oral mouse LD50 500-800 mg/kg bw Oral rat LD50 >1000 mg/kg bw (DMSO)

Oral rat LD50 >500 mg/kg bw Oral rat LD50 > 3980 mg/kg bw Oral mouse LD50 15,600 mg/kg bw

Inhal rat LCO saturated atm, no deaths (3 tests)

Derm rat LD50 > 2000 mg/kg bw Derm rabbit LD50 23,032 mg/kg bw Derm mouse LD50 >2000 mg/kg bw Derm rabbit LD50 >23,000 mg/kg bw Derm rat LD50 >1600 mg/kg bw Derm rabbit LD50 > 3450 mg/kg bw

Calculated overall chemical acute toxicity values for this formulation:

Calculated overall Chemical Acute Toxicity Values				
LC50 (inhalation) LD50 (oral) LD50 (dermal)				
>5 mg/kg (dust and mist)	>2000 mg/kg	>2000 mg/kg		

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin corrosion/irritation: Causes skin irritation. May cause redness and pain.

Serious eye damage/irritation: Causes serious eye irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision.

Respiratory sensitization: Based on available data, this product is not expected to cause respiratory

sensitization.

Skin sensitization: May cause an allergic skin reaction.

Symptoms and target organs: Prolonged exposure may cause chronic effects. May cause allergic skin

> reaction. Dermatitis. Rash. Causes skin irritation. May cause redness and pain. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation.

Chronic health effects: No chronic health effects known.

Carcinogenicity: This product is not classified as a carcinogen. Due to the form of the product,

exposure to the potentially carcinogenic components is not expected.

Material	OSHA(O)	ACGIH(G)	NTP(N)	IARC(I)		
Ethylene Oxide	Ca	A2	K	1		

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) = Occupational Safety and Health Administration

ACGIH (G) = American Conference of Governmental Industrial Hygienists

not listed = Not expected to be carcinogenic

A4 =Not classifiable as a human carcinogen

A5 =Not suspected as a human carcinogen

not listed = Not expected to be carcinogenic

A1 =Confirmed human carcinogen A2 =Suspected human carcinogen

A3 =Animal carcinogen

NTP (N) = National Toxicology Program Ca/Yes = Expected to be carcinogenic K =Known to be a carcinogen R = Reasonably anticipated to be a carcinogen

not listed = Not expected to be carcinogenic

IARC (I) =International Agency for Research on Cancer

=Carcinogenic to humans 2A =Probably carcinogenic to humans 2B =Possibly carcinogenic to humans

3 =Not classifiable as to its carcinogenicity to humans 4 = Probably not carcinogenic to humans not listed = Not expected to be carcinogenic

Mutagenicity: No data available to indicate product or any components present at greater

than 0.1% are mutagenic or genotoxic.

Reproductive Toxicity: This product is not expected to cause reproductive or developmental effects.

Specific Target Organ Toxicity (STOT):

Single Exposure: Not classified as an STOT - Single Exposure.

Repeated Exposure: May cause respiratory irritation.



SAFETY DATA SHEET

Aspiration Toxicity: Based on available data, this product is not expected to cause aspiration

toxicity.

Other Information: Not applicable.

SECTION 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Ecotoxicity: Toxic to aquatic life with long lasting effects.

Acute aquatic toxicity: The product is not classified as acutely environmentally hazardous. However,

this does not exclude the possibility that large or frequent spills can have a

harmful or damaging effect on the environment.

Chronic toxicity: Toxic to aquatic life with long lasting effects.

Environmental effects: An environmental hazard cannot be excluded in the event of unprofessional

handling or disposal.

12.2 PERSISTENCE AND DEGRADABILITY

Persistence/biodegradability: The product contains substances which are not expected to be readily

biodegradable.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY

Mobility:No data available.Mobility in soil:No data available.Mobility in non-soil:No data available.

12.5 OTHER ADVERSE EFFECTS

Ozone layer: No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal method: This material must be disposed of in accordance with all local, state,

provincial, and federal regulations.

Contaminated packaging: Since emptied containers may retain product residue, follow label warnings

even after container is emptied. Dispose of contents and container in accordance with all local, regional, national and international regulations.

The Waste code should be assigned in discussion between the user, the

producer and the waste disposal company.

Residual waste: Dispose of in accordance with local regulations. Empty containers or liners

may retain some product residues. This material and its container must be

disposed of in a safe manner (see: Disposal instructions).

Disposal instructions: Collect and reclaim or dispose in sealed containers at licensed waste disposal

site. Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Waste codes: The Waste code should be assigned in discussion between the user, the

producer and the waste disposal company.

Other disposal recommendations: None

SECTION 14: TRANSPORT INFORMATION

DOT Non-Bulk

EU codes:

Not classified as Dangerous Goods for Transport



DOT Bulk

UN: UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (EPOXY RESIN)

Hazard class: 9 Packing group: PG III

IMO/IMDG

UN: UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (EPOXY RESIN)

Hazard class: 9 Packing group: PG III

ICAO/IATA

UN: UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (EPOXY RESIN)

Hazard class: 9 Packing group: PG III

Reportable quantity: Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

US Federal Regulations:

U.S. OSHA (Occupational Safety and Health Administration) Specifically Regulated Substances (29 CFR 1910.1001-1050)

The following components of this product are found at concentrations greater than or equal to 0.1% and are listed as U.S. OSHA Specifically Regulated Substances.

Material	CAS No.	Amount
Ethylene Oxide	75-21-8	9.5%

SARA/CERCLA reporting requirements:

The following components of this product are found at concentrations greater than or equal to 0.1% and are subject to SARA/CERCLA reporting requirements.

	SARA 302	SARA 304		SARA 313		CAA 112(r)
Material	(EHSs) TPQ	EHSs RQ	CERCLA RQ	listed	RCRA CODE	TQ
Ethylene Oxide	1,000	10	10	313	U1155	10,000

State Right-to-Know Regulations

The following components of this product are found at concentrations greater than or equal to 0.1%, subject to state Right-to-Know reporting requirements; or are found at any concentration and are listed under California Proposition 65.

				New Jersey			
				Community			
			Minnesota	Environme	New Jersey		Rhode
	California	Massachus	Employee	ntal Hazard	Right-to-	Pennsylvan	Island
	Proposition	etts Right-	Right-to-	Right-to-	Know	ia Right-to-	Right-to-
Material	65	to-Know	Know	Know	Substance	Know	Know
Ethylene Oxide	Cancer	Listed	Listed	Not listed	Not listed	Listed	Listed

California:

Proposition 65:



WARNING: This product can expose you to Ethylene Oxide which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

Global Inventories:

Notification status:				
US - TSCA	All substances are listed			
Canada -DSL	All substances are listed			
Canada - NDSL	No substances are listed			
EU - EINECS	Not all substances are listed			
EU - ELINCS	No substances are listed			
EU - NLP	At least 1 substances is listed			
Australia – AICS	All substances are listed			
China - EICSC	C All substances are listed			
Japan - ENCS	All substances are listed			
Korea - KECI	All substances are listed			
Taiwan - NECI	n - NECI All substances are listed			
New Zealand - NZloC	All substances are listed			
Philippine - PICCS	All substances are listed			

EU - REACH Status:

A registration number is not available for substances in this mixture as the substances are exempted from registration or the annual tonnage does not require a registration.

HAZARD CLASSIFICATION	CATEGORY
Skin Corrosion/Irritation	2
Eye Damage/Irritation	2A
Sensitization - Skin	1
STOT SE - Specific Toxic Organ Toxicity (Single Exposure)	3
Hazardous to the Aquatic Environment - Long-Term (Chronic)	2
Hazard	

CANADA – WHMIS (Workplace Hazardous Materials Information System) Classification (GHS):

· · · · · · · · · · · · · · · · · · ·	, , ,
HAZARD CLASSIFICATION	CATEGORY
Skin Corrosion/Irritation	2
Eye Damage/Irritation	2A
Sensitization - Skin	1
STOT SE - Specific Toxic Organ Toxicity (Single Exposure)	3
Hazardous to the Aquatic Environment - Long-Term (Chronic)	2
Hazard	

MEXICO (GHS):

HAZARD CLASSIFICATION	CATEGORY
Skin Corrosion/Irritation	2
Eye Damage/Irritation	2A
Sensitization - Skin	1
STOT SE - Specific Toxic Organ Toxicity (Single Exposure)	3
Hazardous to the Aquatic Environment - Long-Term (Chronic)	2
Hazard	

Carcinogen Status: No data available.



SECTION 16: OTHER INFORMATION

HMIS (Hazardous Materials Identification System) rating:

Health:	2*
Flammability:	1
Physical:	0

NFPA 704 (National Fire Protection Association) rating:

Health	2
	(G)
Fire	1
Reactivity	0

Legend:

DOT US Department of Transportation
IATA International Air Transport Association
ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods

ACGIH American Conference of Governmental Industrial Hygienists

NTP National Toxicology Program

IARC International Agency for Research on Cancer
PPE Personal Protective Equipment

RCRA Resource Conservation and Recovery Act

CAA Clean Air Act

SARA Superfund Amendments and Reauthorization Act
EPCRA Emergency Planning and Community Right-to-Know Act
WHMIS Workplace Hazardous Materials Information System

EU European Union

REACH Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
CERCLA Comprehensive Environmental Response, Compensation and Liability Act

TSCA US Toxic Substances Control Act (TSCA)
DSL Canada Domestic Substance List (DSL)
NDSL Canada Non-Domestic Substance List (NDSL)

EINECS European Inventory of Existing Commercial Chemical Substances (EINECS)

ELINCS European List of Notified Chemical Substances (ELINCS)

NLP European list of No-longer Polymers (NLP)

AICS Australian Inventory of Chemical Substances (AICS)

EICSC China Existing Chemical Inventory - IECSC

ENCS Japanese Existing and New Chemical Substances Inventory(ENCS)

KECI Korea Existing Chemicals Inventory(KECI)

NECI Taiwan National Existing Chemical Inventory (NECI)
NZIOC New Zealand Inventory of Chemicals (NZIOC)

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

HMIS Hazardous Materials Identification System
NFPA National Fire Protection Association (NFPA)

Date of preparation: June 14, 2019

Version: 1.0

Revision Date: June 14, 2019

Disclaimer: We believe the statements, technical information and

recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own



SAFETY DATA SHEET

Prepared by:

particular use.
Firestone Building Products Company, LLC
200 4th Avenue South
Nashville, TN 37201
Gaco is a Firestone Building Products brand

End of Safety Data Sheet

Trade Name: E5691A - E5691 Epoxy Side A