NOTE: 1. FOR GENERAL REFERENCE ONLY - NOT INTENDED FOR PROJECT- SPECIFIC USE OR TO FULLY DEFINE A WARRANTY ELIGIBLE APPLICATION. 2. REFER TO LATEST REVISION OF APPROPRIATE APPLICATION SPECIFICATIONS, PRODUCT DATA SHEETS AND GENERAL INSTRUCTIONS FOR ADDITIONAL REQUIREMENTS. 3. NON-GACO ROOFING COMPONENTS AND HARDWARE ARE DEPICTED FOR CONTEXT-ONLY - NOT INTENDED AS A STATEMENT OF SPECIFICATION. 4. ENSURE SUFFICIENT RATING FOR CODES, APPROVALS, MAXIMUM / MINIMUM THERMAL & MOISTURE LOADS IN ADDITION TO OTHER RELEVANT PERFORMANCE PARAMETERS / CHARACTERISTICS. 5. DETERMINE OVERALL MINIMUM SLOPE PER PROJECT PLAN. TAPER AS APPROPRIATE FOR FLASHING. CHANGES-OF-PLANE OR SIMILAR. MAINTAIN MINIMUM STANDOFF DISTANCES PER CODES. APPROVED WOOD BLOCKING (BY OTHERS) MINIMUM APPROVED FOAM STOP & FLASHING DISTANCE ATTACHMENT 2 IN (50 MM) HARDWARE (BY OTHERS) APPROPRIATE APPROPRIATE GACOFLEX SPF APPROVED GACOFLEX (SEE NOTE #5) FOAM STOP & **ROOF COATING** ATTACHMENT HARDWARE (BY OTHERS) MINIMUM SPF THICKNESS 2 IN (50 MM) APPROPRIATE GACOFLEX PRIMER (AS REQUIRED) COMPATIBLE WALL / PARAPET OR SIMILAR APPROVED COMPATIBLE CANT ROOF / DECK (BY OTHERS) SUBSTRATE **MAXIMUM WARRANTY TERM: PARAPET W/CAP FLASHING** REFER TO APPROPRIATE APPLICATION SPECIFICATIONS Gaco REVISION DETAIL NO. REFER TO APPROPRIATE DATE: GACOFLEX™ COATING ROOFING SYSTEMS COMPATIBLE SOLUTIONS CATEGORY: 11/15/2023 (RS) SUBSTRATE TYPES: APPLICATION SPECIFICATIONS **GA-RS-PA-9**

ADDITIONAL TECHNICAL DOCUMENTATION AVAILABLE ON GACO.COM CUSTOMER SERVICE - PHONE: (800) 331-0196 / E-MAIL: CUSTOMERSERVICE@GACO.COM

NOT TO SCALE